



eco surfaces

Wellness Program



# Wellness Program

The ECOsurfaces Wellness Program offers a unique surface for every aspect of your fitness space.

## Better for People

Whether you're working out at a hotel during a business trip or practicing yoga in your apartment building's gym, exercising should feel fun. No one should have to worry about falls or injuries from repetitive impact on an unforgiving floor. ECOsurfaces products absorb shock, prevent falls, and are easy to clean, making everyday spaces safer, more comfortable, and more enjoyable.

## Better for the Planet

We're leading a global economic movement to embrace circularity by recovering rubber waste and turning it into usable materials; reduce demand for virgin rubber materials; and realize the infinite value of rubber's unique performance qualities.

## Tailored to Your Space

Our Wellness Program products use reclaimed vulcanized composition rubber as a performance-boosting "muscle" layer, and our patented itsTRU™ technology allows us to fusion bond this muscle to the surface that matches your space's unique needs and goals. The result? Uniquely tailored surfaces with superior ergonomic, safety, and acoustic benefits.

# Rx Collection

BUILT ON  
**itsTRU**  
TECHNOLOGY

Forest Rx • Cosmos Rx • Infinity Rx • Strait Rx • Crossings Rx

Rx is a collection of premium flooring products developed and manufactured to meet the extreme challenges experienced in commercial environments. Available in 6-foot-wide rolls, these engineered surfaces feature a 2mm heterogeneous sheet vinyl that is factory fusion bonded to a 5mm vulcanized composition rubber base layer. Leveraging patented itsTRU™ technology, Rx products provide force reduction and energy restitution in every step. Visit [ecosurfaces.com](http://ecosurfaces.com) for the full Rx Collection color lines.



FOREST RX


TOASTED OAK 7MM



## itsTRU™ technology

---

We used reclaimed rubber materials to create performance-optimized Vulcanized Composition Rubber (VCR), but adhering this material to flooring surfaces like turf or vinyl has always been a challenge in our industry—until now. We're the only flooring manufacturer that can create custom combinations of VCR—the “muscle” that keeps bodies in motion—and the surface layer that matches your aesthetic preferences and goals.



BUILT ON  
**itsTRU™**  
TECHNOLOGY



---

The planet we share  
is the foundation for  
everything we do.

Earth's ability to optimize energy performance inspires our patented processes—including itsTRU™ technology—and the way we operate as a company. We take responsibility for how the materials we make and use affect our collective future on this planet. We do our part every day to reduce CO<sub>2</sub> emissions and help solve the global rubber waste issue by reclaiming valuable rubber materials instead of allowing them to be burned or thrown away.





COSMOS RX



INFINITY RX



CROSSINGS RX

SHOOTING STAR 9819

PRINCE 3183



STRAIT RX

HONEY BEIGE 9869

TOASTED COCONUT 6625

*Above samples shown for color reference. Actual product will have a factory fusion bonded 5mm VCR base layer.  
Visit [ecosurfaces.com](http://ecosurfaces.com) for the full Rx Collection color lines.*





## ECONights

ECONights is the perfect surface for basic strength and cardio applications. Its superior slip resistance and nominal 3/8" thickness make it a durable solution for high impact spaces. Rolls and tiles are available in 10 different color options, delivering unmatched durability and design options to enhance any high-energy environment.


### Specifications:

- Product Type: Rolls and Interlocking Tiles
- Dimensions: Rolls – 8mm x 48" (1.2m) x 25 linear feet (7.62m) Interlocking Tiles – 8mm x 23" (.58m) x 23" (.58m)




TOTAL ECLIPSE

626




MR. SLATE 10

652



BLUE MOOD 10

653




RED HOTS 10

654




FISH FOOD

610C




MILKY WAY

617




BIG BANG BLUE

629A



CHUNKY MUNKY

648A



MONSTER'S INK

650B



SPACE NUT

655

*Wellness Program patterns are provided for design inspiration. Actual samples and final product may vary from color swatches shown.*





# Standard Colors

ECOfit • ECOfit Plus  
ECOMax • ECOdB


BUILT ON  
**itsTRU**  
TECHNOLOGY

See below for standard surface layer color options available for ECOfit, ECOfit Plus, ECOMax, and ECOdB.




TOTAL ECLIPSE

626




MR. SLATE 20

601




BLUE MOOD 20

602




RED HOTS 20

620




BEDROCK

806



GRAVEL ROCK

808



MOONROCK

812




MRS. DOUBTFIREPLACE

1209



ACTION

1213




TAKE ONE

1214



FINAL CUT

1216



GULF SHORES

2605



DESERT PALM

2606



BEACH GLASS

2607



# ECOfit

BUILT ON  
**itsSTRU**  
TECHNOLOGY

ECOfit features a 3.2mm vulcanized composition rubber (VCR) surface layer that is factory fusion bonded to a 5mm VCR base layer. Whether a traditional health and fitness application or an active work environment, ECOfit provides enhanced performance while mitigating fatigue and the risk of injury.

## Specifications:

- **Form:** Rolls
- **Dimensions:** 8.2mm (3.2mm+5mm) x 48" (1.2m) x 25LF (15.24m)



ECOFIT

BEACH GLASS

# ECOfit Plus

BUILT ON  
**itsSTRU**  
TECHNOLOGY

ECOfit Plus features a 3.2mm VCR surface layer that is factory fusion bonded to a 12mm VCR base layer. ECOfit Plus absorbs impact force while returning energy and encourages people to stand on the balls of their feet. This prevents compression in the back and legs. Available in glue down rolls or adhesive-free interlocking tiles.


## Specifications:

- **Form:** Rolls and Interlocking Tiles
- **Dimensions:**  
Rolls – 15.2mm (3.2mm + 12mm) x 48" (1.2m) x 25LF (7.62m)  
Interlocking Tiles – 15.2mm x 23" (58cm) x 23" (58cm)



ECOFIT PLUS

FINAL CUT



ECOMAX

BEDROCK

# ECOMax

BUILT ON  
**itsSTRU**  
TECHNOLOGY

ECOMax is a square, 1-inch beveled tile featuring a patented footed system, designed specifically for use in weight rooms. ECOMax provides enhanced acoustical performance by absorbing the energy of weight impacts.

## Specifications:

- **Form:** Tiles
- **Dimensions:** Tiles – 1" (25.4mm) x 24" (.61m) x 24" (.61m)
- QuadBlock Installation System  
*Can be installed as a floating system.*  
*Also available in a 2.5" product.*

**View Standard Colors for color options.**

Visit [ecosurfaces.com](https://ecosurfaces.com) for minimum order quantities, format, and technical information.



# ECOfit-Turf

BUILT ON  
**itsTRU**  
TECHNOLOGY

ECOfit-Turf features a dense, textured 12mm polyethylene turf surface layer that is factory fusion bonded through patented itsTRU™ technology to a 5mm vulcanized composition rubber base layer. While too abrasive to fall or dive on, this consistent and tight surface is ideal for all footwork drills and sled work and offers ergonomic support.

## Specifications:

- **Form:** Rolls
- **Dimensions:** 17mm (12mm + 5mm) x 72" (1.83m) x 35LF (10.67m)



ECOFIT-TURF

# ECOfit-Turf Plus

BUILT ON  
**itsTRU**  
TECHNOLOGY

ECOfit-Turf Plus features a dense, textured 12mm polyethylene turf surface layer that is factory fusion bonded through patented itsTRU™ technology to a 12mm vulcanized composition rubber base layer. While too abrasive to fall or dive on, this consistent and tight surface is ideal for all footwork drills and sled work and provides enhanced ergonomic support. This surface offers a portable/temporary turf system with interlocking tiles.

## Specifications:

- **Form:** Rolls and Interlocking Tiles
- **Dimensions:**  
Rolls – 24mm (12mm + 12mm) x 72" (1.83m) x 25LF (7.62m)  
Interlocking Tiles – 24mm (12mm + 12mm) x 23" (.58m) x 46" (1.17m)



ECOFIT-TURF PLUS



# ECOdB

BUILT ON  
**itsTRU**  
TECHNOLOGY

This 2-foot by 2-foot by 2.5-inch molded composition rubber tile is designed for areas requiring ultimate noise reduction. ECOdB addresses the challenges of structure-borne noise from weight drops in mixed-use buildings.

## Specifications:

- **Form:** Tiles
- **Dimensions:** 2.5" (63.5mm) x 24" (610mm) x 24" (610mm)
- QuadBlock Installation System  
*Can be installed as a floating system.*

**View Standard Colors for color options.**

Visit [ecosurfaces.com](https://ecosurfaces.com) for minimum order quantities, format, and technical information.













## ECOsurfaces is a sustainable flooring company dedicated to improving lives—for people today and for generations to come.

For over 25 years, we've designed surfaces that help people thrive.

We're focused on the interaction between people and surfaces: how to optimize performance, maximize comfort, and protect the Earth—our ultimate base layer—for generations to come. We use innovative technology to engineer industry-leading performance attributes related to acoustics, ergonomics, and safety. Using valuable materials harvested from the global waste stream, we create products that achieve the optimal balance of force reduction and energy restitution—each expertly customized to the goals of its unique application.

Force Reduction Absorption of impact energy	Product	Energy Restitution Useful return of impact energy
 11.5%	Rx Collection	72.0%
 13.8%	ECOnights	67.7%
 14.5%	ECOfit	66.7%
 35.5%	ECOfit Plus	51.9%
 46.3%	ECOmax	52.1%
 67.7%	ECOdB	46.1%
 36.9%	ECOfit-Turf	46.1%
 53.4%	ECOfit-Turf Plus	40.2%

For more information call 833-888-1760 or visit [ecosurfaces.com](https://ecosurfaces.com)